

Configuration for T-piece Resuscitation

**F&P™ 850 System:
Reliable Performance**

- One-touch therapy selection combined with dual temperature feedback systems
- Flow-sensor technology for improved safety and humidity delivery
- Built-in algorithms designed to reduce circuit condensate

F&P Neopuff™ T-piece Resuscitator

- An accurate, easy-to-read manometer
- Peak inspiratory pressure (PIP) control and maximum pressure relief value
- Can deliver oxygen levels from 21 to 100 percent from flow meters or a gas blender

Humidified T-piece Circuit

- Adjustable positive end expiratory pressure (PEEP) valve
- Heated circuit designed to deliver warm, humidified gas to an infant during resuscitation
- Connects to a resuscitation mask or endotracheal tube
- Designed for use with the MR850 Humidifier combined with the MR290 or MR225 chamber

Neopuff Infant T-piece Resuscitator
RD900XXX

*XXX denotes language specific model

Gas Supply Line
900RD008
900RD009



Waterbag or Bottle
(not supplied by F&P)



Humidification Chamber
MR290
MR225

Humidified T-piece Circuit
900RD110

Respiratory Humidifier
MR850XXX

Heater-wire Adapter
900MR806

Temperature & Flow Probe
900MR868
900MR869

Infant Resuscitation Mask
RD803-10 (XS)
RD804-10 (S)
RD805-10 (M)
RD806-10 (L)
RD807-10 (XL)



Some products are unavailable in certain markets